



**Bergmann dumpers.**  
The 2017 models.

 Made in Germany.

**BERGMANN**

# For safety. A Bergmann.

Premium quality made in Germany.  
High value stability. And maximum  
operational safety. With these  
features we will also be able to  
convince you. Take us at our word.  
**[www.bergmann-dumper.de](http://www.bergmann-dumper.de)**

# Series 2000

Compact and manoeuvrable.

## ➤ **Best overview**

A short tail and a high sitting position ensure the operator the best all-round overview. For quick and safe work.

## ➤ **Year-round use**

Thanks to a collapsible weather protection roof (optional). In focus: health protection, profitability, transport costs.

## ➤ **Safety for the operator**

The operator enters the dumper outside the danger area. Because safety is the priority, right from the start.



**Wheel dumper | open**

Swivel tip

3 - 9 t payload



# Bergmann 2030 HS

## High Skip Dumper

|                                       |                          |
|---------------------------------------|--------------------------|
| <b>Payload</b>                        | <b>3,000 kg</b>          |
| <b>Capacity level</b>                 | <b>1.3 m<sup>3</sup></b> |
| <b>Capacity heaped</b>                | <b>2.0 m<sup>3</sup></b> |
| Total length                          | 4,158 mm                 |
| Total width                           | 1,780 mm                 |
| Clearance height without beacon light | 2,877 mm                 |
| Ground clearance                      | 310 mm                   |
| Dumping height                        | 1,944 mm                 |
| Load height                           | 1,666 mm                 |
| Engine power                          | 35.9 kW                  |
| Empty weight                          | 2,900 kg                 |



# Bergmann 2040 R

## Swivel Tip Dumper

|                                       |                          |
|---------------------------------------|--------------------------|
| <b>Payload</b>                        | <b>4,000 kg</b>          |
| <b>Capacity level</b>                 | <b>1.5 m<sup>3</sup></b> |
| <b>Capacity heaped</b>                | <b>2.3 m<sup>3</sup></b> |
| Total length                          | 4,005 mm                 |
| Total width                           | 1,874 mm                 |
| Clearance height without beacon light | 2,912 mm                 |
| Ground clearance                      | 343 mm                   |
| Dumping height                        | 966 mm                   |
| Load height                           | 1,550 mm                 |
| Engine power                          | 35.9 kW                  |
| Empty weight                          | 2,800 kg                 |



# Bergmann 2060 R<sub>PLUS</sub> Swivel Tip Dumper

|                                       |                          |
|---------------------------------------|--------------------------|
| <b>Payload</b>                        | <b>6,000 kg</b>          |
| <b>Capacity level</b>                 | <b>2.5 m<sup>3</sup></b> |
| <b>Capacity heaped</b>                | <b>3.6 m<sup>3</sup></b> |
| Total length                          | 4,489 mm                 |
| Total width                           | 2,018 mm                 |
| Clearance height without beacon light | 3,107 mm                 |
| Ground clearance                      | 273 mm                   |
| Dumping height                        | 1,122 mm                 |
| Load height                           | 1,650 mm                 |
| Engine power                          | 55 kW                    |
| Empty weight                          | 4,045 kg                 |



# Bergmann 2090 R<sub>PLUS</sub> Swivel Tip Dumper

|                                       |                          |
|---------------------------------------|--------------------------|
| <b>Payload</b>                        | <b>9,000 kg</b>          |
| <b>Capacity level</b>                 | <b>3.6 m<sup>3</sup></b> |
| <b>Capacity heaped</b>                | <b>4.6 m<sup>3</sup></b> |
| Total length                          | 4,953 mm                 |
| Total width                           | 2,420 mm                 |
| Clearance height without beacon light | 3,350 mm                 |
| Ground clearance                      | 315 mm                   |
| Dumping height                        | 1,178 mm                 |
| Load height                           | 1,970 mm                 |
| Engine power                          | 75.0 kW                  |
| Empty weight                          | 6,200 kg                 |

# Series 3000

Masterful at any construction site.

## ➤ **Best all-terrain traction**

With large tyres, articulated swivel joint and spring-suspension front axle, the 3000 series models also safely handle rough terrain under their wheels.

## ➤ **A real performer**

In addition to high performance technology, the cab, with its rotating driver's stand (optional), enables fast, safe work.

## ➤ **For any requirements**

Rear, three-way, swivel tip or carrier vehicle with quick-change apparatus, your Bergmann has the equipment you need for your construction site.



### **Wheel dumper | cab**

Rear, three-way or swivel tip  
12 t payload





# Bergmann 3012 R<sub>PLUS</sub> Swivel Tip Dumper

|                                       |                          |
|---------------------------------------|--------------------------|
| <b>Payload</b>                        | <b>12,000 kg</b>         |
| <b>Capacity level</b>                 | <b>6.3 m<sup>3</sup></b> |
| <b>Capacity heaped</b>                | <b>8.0 m<sup>3</sup></b> |
| Total length                          | 7,129 mm                 |
| Total width                           | 2,500 mm                 |
| Clearance height without beacon light | 3,022 mm                 |
| Ground clearance                      | 429 mm                   |
| Dumping height                        | 1,344 mm                 |
| Load height                           | 2,408 mm                 |
| Engine power                          | 119 kW                   |
| Empty weight                          | 11,140 kg                |



# Bergmann 3012 DSK<sub>PLUS</sub> Three-Way Tip Dumper

|                                       |                          |
|---------------------------------------|--------------------------|
| <b>Payload</b>                        | <b>12,000 kg</b>         |
| <b>Capacity level</b>                 | <b>4.2 m<sup>3</sup></b> |
| <b>Capacity heaped</b>                | <b>8.0 m<sup>3</sup></b> |
| Total length                          | 7,598 mm                 |
| Total width                           | 2,541 mm                 |
| Clearance height without beacon light | 3,022 mm                 |
| Ground clearance                      | 429 mm                   |
| Dumping height                        | 405 mm                   |
| Load height                           | 2,049 mm                 |
| Engine power                          | 119 kW                   |
| Empty weight                          | 10,020 kg                |



# Bergmann 3012 HK<sub>PLUS</sub>

## Rear Tip Dumper

|                                       |                          |
|---------------------------------------|--------------------------|
| <b>Payload</b>                        | <b>12,000 kg</b>         |
| <b>Capacity level</b>                 | <b>5.0 m<sup>3</sup></b> |
| <b>Capacity heaped</b>                | <b>8.0 m<sup>3</sup></b> |
| Total length                          | 6,844 mm                 |
| Total width                           | 2,505 mm                 |
| Clearance height without beacon light | 3,022 mm                 |
| Ground clearance                      | 429 mm                   |
| Dumping height                        | 926 mm                   |
| Load height                           | 2,110 mm                 |
| Engine power                          | 119 kW                   |
| Empty weight                          | 9,080 kg                 |

# Series 4000

Strong on any substrate.

## ➤ High speed

With a well-conceived safety concept and a driving speed of up to 16 km/h, Bergmann is convincing even on the most difficult substrate. Safe and high-performance.

## ➤ Economical and low-emission

State-of-the-art engine technology convinces with low diesel consumption and low emission values. Economical and environmentally friendly.

## ➤ Convincing ergonomics

The spacious driver's cab with rotating operator stand (optional) makes turning manoeuvres superfluous. Efficient and back-friendly.



**Track dumper | cab**

Rear or swivel tip

10 t payload



# Bergmann 4010 R

## Swivel Tip Dumper

|                                       |                          |
|---------------------------------------|--------------------------|
| <b>Payload</b>                        | <b>10,000 kg</b>         |
| <b>Capacity level</b>                 | <b>5.8 m<sup>3</sup></b> |
| <b>Capacity heaped</b>                | <b>6.6 m<sup>3</sup></b> |
| Total length                          | 6,315 mm                 |
| Total width                           | 2,900 mm                 |
| Clearance height without beacon light | 3,020 mm                 |
| Ground clearance                      | 610 mm                   |
| Dumping height                        | 555 mm                   |
| Load height                           | 2,175 mm                 |
| Engine power                          | 186 kW                   |
| Empty weight                          | 14,850 kg                |



# Bergmann 4010 HK

## Rear Tip Dumper

|                                       |                          |
|---------------------------------------|--------------------------|
| <b>Payload</b>                        | <b>10,000 kg</b>         |
| <b>Capacity level</b>                 | <b>4.7 m<sup>3</sup></b> |
| <b>Capacity heaped</b>                | <b>6.5 m<sup>3</sup></b> |
| Total length                          | 5,963 mm                 |
| Total width                           | 2,900 mm                 |
| Clearance height without beacon light | 3,020 mm                 |
| Ground clearance                      | 610 mm                   |
| Dumping height                        | 765 mm                   |
| Load height                           | 1,968 mm                 |
| Engine power                          | 186 kW                   |
| Empty weight                          | 14,250 kg                |



# Bergmann 4010 T Carrier Vehicle

| <b>Payload</b>                        | <b>11,000 kg</b> |
|---------------------------------------|------------------|
| Total length                          | 6,315 mm         |
| Total width                           | 2,900 mm         |
| Clearance height without beacon light | 3,020 mm         |
| Ground clearance                      | 610 mm           |
| Dumping height                        | 555 mm           |
| Load height                           | 2,175 mm         |
| Engine power                          | 186 kW           |
| Empty weight                          | 13,400 kg        |

# Series 5000

Underground specialists.

## ➤ **Maximum safety**

With its ergonomic reversible seat, the tunnel dumpers offer an excellent view of the work environment from every direction of travel.

## ➤ **High work efficiency**

With work speeds up to 40 km/h forwards and 30 km/h backwards, the Bergmann 5025 HK<sub>PLUS</sub> is the ideal transport vehicle for tunnelling and mining.



**Wheel dumper | cab**

Rear tip

12 - 25 t payload





# Bergmann 5025 HK<sub>PLUS</sub>

## Rear Tip Dumper

|                                       |                           |
|---------------------------------------|---------------------------|
| <b>Payload</b>                        | <b>25,000 kg</b>          |
| <b>Capacity heaped</b>                | <b>15.0 m<sup>3</sup></b> |
| Total length                          | 9,316 mm                  |
| Total width                           | 2,870 mm                  |
| Clearance height without beacon light | 3,353 mm                  |
| Ground clearance                      | 480 mm                    |
| Dumping height                        | 700 mm                    |
| Load height                           | 2,719 mm                  |
| Engine power                          | 194 kW                    |
| Empty weight                          | 19,250 kg                 |

# Solutions

Completely individual in accordance with your requirements.



**Contact us!**

T +49 5932 7292-0

# What makes a Bergmann so safe:

1. High level of operational safety thanks to robust, durable, and certified technology
2. Rotating operator stand for maximum operational safety
3. Spring-suspension rear axle for driving comfort and health protection
4. Safe entry and exit outside the danger area
5. Weather protection roof for a healthy work environment
6. Retractable bucket chute for working at a safe distance from the building pit
7. Permanent stability monitoring with warning function for quick and safe work
8. Investment security through partnership at eye level with an established family-owned company



**For safety.  
A Bergmann.**



**Specialised in dumpers.** For more than 55 years.

**Bergmann Maschinenbau GmbH & Co. KG**

Essener Straße 7 | 49716 Meppen | Germany | T +49 5932 7292-0  
info@bergmann-mb.de | [www.bergmann-dumper.de](http://www.bergmann-dumper.de)