


APPLICATIONS SAND CLEANER SOLUTION





WHY BOBCAT SAND CLEANER?

PERFORMANCE

- Collect small debris (cigarette stubs, bottle caps, broken glass, ...)
- Short cycle time

HIGH PRODUCTIVITY FOR GREAT VALUE

- Up to 15,000 m²/h
- Solution package 1/2 the cost of a dedicated machine

VERSATILITY

- Use a Bobcat Root Grapple to pick up large material
- Access difficult areas

TOP TASKS

- Public beach, private resort cleaning
- Playgrounds maintenance
- Sports fields (Volley ball, beach soccer, ..)
- Racing tracks
- Farm
- Recycling/sorting industry

KEEP IT CLEAN WITH THE BOBCAT SAND CLEANER

The Bobcat Sand Cleaner is an effective attachment on wet and dry sand/soil. It allows the operator to quickly sift the sand/soil and collect debris as small as cigarette stubs in its 350L hopper. He can then easily dump the debris in a truck thanks to its high discharge capability and hydraulic hopper gate.

Bobcat Sand Cleaner package (machine + attachment) can sift up to 15,000 m²/h and cost half the price of a dedicated machine.

The compact size of the machine and its unmatched maneuverability give to the operator the ability to work around fixed obstacles and to reach isolated locations with small access roads.



The back blade attached to the back of the machine will insure a nice finish by removing the tracks marks.

Add safety to the cleaning operation by driving AND looking forward.

A BOBCAT SOLUTION PACKAGE

Complete cleaning solution

- Attach a Bobcat Root Grapple to pick up large material before finishing the job with the Sand Cleaner.
- Use an Angle Broom or Sweeper to remove sand from nearby roads.

Integrated solution

- Fingertip controls and speed management for comfortable operation
- · Deluxe panel to track your usage
- HVAC for a comfortable work environment

Plug and Play

- · Quickly and easily attach or detach
- · No workshop modifications
- · User friendly



MAXIMUM CONTROLLABILITY AND MAXIMUM PERFORMANCE

- Hydraulic depth control
- Hydraulic bucket discharge
- ACD control
- Interchangeable grids (4 sizes)
- · Back blade for nice finish
- Diverter valve and drain line
- Auto-lubricating bearing seal
- Maintenance free





SPECIFICATIONS



TECHNICAL SPECIFICATIONS										
	Working width (mm)	Working depth (mm)	Bucket capacity (I)	Performance (m²/h)	Working pressure (bar)	Working flow (I/min)	Weight (kg)	Control kit required	Working flow	First installation time
Sand cleaner, SC200	1900	up to 200	350	up to 15000	80	40	660	Yes	Standard	None

COMPATIBILITY CHARTS																				
		Compact tracked loaders					Skid steer loaders and all-wheel steer loaders													
Description	MT55	T110	T450	Т590/Н	Т650/Н	Т770/Н	Т870/Н	870	S100	S450	S510	S530/H	S550/H	S570/H	Н/065S	Н/0£95	Н/059S	S770/H	S850/H	А770/Н
Sand cleaner, SC200				Х	Х	Х	Х													
7-Pin attachment control kit				Х	Х	Х	Х													

Note: 7-Pin attachment control kit is installed as standard on High Flow (H) machines.

OPTIONS/ACCESSORIES									
Description	Weight (kg)	Comment	Optimized working position						
Screening net 5 × 5 mm (set of 2 grids, left and right)	38	For very fine cleaning. Not recommended on wet sand.	9.						
Screening net 10 × 10 mm (set of 2 grids, left and right)	35	Standard grids. Able to pick up cigarette stubs							
Screening net 15 × 15 mm (set of 2 grids, left and right)	35	For rough cleaning							
Screening net 20 × 20 mm (set of 2 grids, left and right)			Cleaning depth						
Sand cleaner back blade	45	Remove the machine tracks marks for a nice finish							





